

**Gliptone Manufacturing Inc,**  
1340-7 Lincoln Ave  
Holbrook, NY 11741  
Phone: (631) 737- 1130  
Fax: ( 631) 589-5487

**MATERIAL SAFETY DATA SHEET**

DATE: 01/02/01

**PRODUCT NAME: Pro Buff**  
**CODE: GT0616**

**SECTION 1 GENERAL INFORMATION**

SALES AND CUSTOMER SERVICE: (631) 737-1130  
DATE PREPARED: 01/02/06  
DATE PRINTED: 01/02/06  
PREPARED BY: William Coulter III  
HAZARD CLASS: NA  
DOT SHIPPING NAME: NA

**NFPA**

HAZARD RATING: HEALTH 0 FLAMMABILITY 1 REACTIVITY 0 PERSONAL PROTECTION 0

**EMERGENCY PHONE NUMBER: CHEMTREC 800-424-9300**

TO BE USED ONLY IN THE EVENT OF CHEMICAL EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT INVOLVING CHEMICALS.

**SECTION 2 HAZARDOUS INGREDIENTS**

<b>PRODUCT IDENTIFIER</b>	<b>CAS NUMBER</b>	<b>%</b>	<b>THRESHOLD LIMIT VALUE</b>
Petroleum Naptha			
Aliphatic Petroleum Naptha			
Aromatic Petroleum Naptha			
Sodium Hydroxide			
Triethanolamine			

**SECTION 3 PHYSICAL DATA**

**APPEARANCE AND ODOR:** thick, tan, homogenous cream with characteristic odor

**SPECIFIC GRAVITY:** nd

**SOLUBILITY IN WATER:** insoluable

**pH (1% IN WATER):**

**BOILING POINT:** nd

**VAPOR PRESSURE:** negligible

**VAPOR DENSITY:** nd

**PERCENT VOLATILE BY VOLUME:**

**EVAPORATION RATE:** <1

---

**GLIPTONE MANUFACTURING INC.**

**MATERIAL SAFETY DATA SHEET**

DATE: 01/02/01

**Pro Buff**

**SECTION 4 REACTIVITY DATA**

---

**CHEMICAL STABILITY:** stable

**CONDITIONS TO AVOID:**

**MATERIALS TO AVOID:** strong acids or bases, oxidizing agents, heat or flame.

**HAZARDOUS DECOMPOSITION PRODUCTS:** carbon monoxide and/or carbon dioxide combustion.

**SECTION 5 FIRE AND EXPLOSION HAZARD DATA**

---

**FLASH POINT:** nd

**FLAMMABILITY:** nd

**AUTO-IGNITION TEMPERATURE:**

**MEANS OF EXTINCTION:** dry chemical or foam. Water may be an ineffective extinguishing agent.

**SPECIAL PRECAUTIONS:** use water to cool containers. Avoid spreading fire with water.

**SECTION 6 HEALTH HAZARD DATA**

---

**EYE CONTACT:** may cause irritation

**SKIN CONTACT:** may cause irritation. Prolonged contact may cause dermatitis, drying and cracking of the skin

**INHALATION:** inhalation of concentrated vapors may cause irritation to the nose and throat.

**INGESTION:** excessive quantities may be irritating to digestive tract and central nervous system depression. ( drowsiness, dizziness, loss of coordination and fatigue.

**EXPOSURE LIMITS:**

**CARCINOGENICITY:**

**MEDICAL CONDITION AGGRAVATED BY EXPOSURE:** pre-existing skin disorders or impaired lung function or asthma-like conditions may be more susceptible after exposure.

**SECTION 7 FIRST AID PROCEDURES**

---

**EYE CONTACT:** flush with water for fifteen minutes. Seek medical attention if irritation persists.

**SKIN CONTACT:** wash affected area with soap and water.

**INHALATION:** remove to fresh air, give artificial respiration if needed.

**INGESTION:** Do not induce vomiting or give anything by mouth. Seek medical attention.

---

---

GLIPTONE MANUFACTURING INC.

MATERIAL SAFETY DATA SHEET

DATE: 01/02/01

Pro Buff

---

**SECTION 8 CONTROL AND PROTECTIVE PROCEDURES**

**EYE PROTECTION:** goggles or safety glasses

**SKIN PROTECTION:** rubber gloves

**RESPIRATORY PROTECTION:** dust mask

**VENTILATION RECOMMENDED:** local exhaust

**OTHER PROTECTION:** none required under normal use.

---

**SECTION 9 ENVIRONMENTAL PROTECTION PROCEDURES**

**SPILL RESPONSE:** keep all sources of ignition away from spill. Keep area well ventilated. Transfer spilled material to a suitable container. Do not flush area with water.

**WASTE DISPOSAL METHOD:** Dispose in accordance with local, state, and federal laws.

---

**SECTION 10 HANDLING, USE AND STORAGE**

**SPECIAL PROTECTION:**

**HANDLING AND STORAGE:** keep containers tightly closed when not in use. Keep away from sources of ignition. Keep area well ventilated.

**OTHER PRECAUTIONS:**

---

**THIS PRODUCT SAFETY DATA SHEET IS OFFERED SOLELY FOR YOUR INFORMATION, CONSIDERATION AND INVESTIGATION. DATA SUPPLIED IS FOR USE ONLY IN CONNECTION WITH OCCUPATIONAL SAFETY AND HEALTH.**