

MATERIAL SAFETY DATA SHEET

SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Goo Gone Pro Power
Product Code: 1723, 1734, 1743, GGP16
Supplier: MAGIC AMERICAN PRODUCTS
Address: 26901 CANNON ROAD, SUITE 190
BEDFORD HEIGHTS, OH 44146
Telephone: (800) 321-6330 M-F, 9-5 EST
Emergency: CHEMTREC 24 HR (800) 424-9300
Date: April 5, 2010

SECTION 2 – COMPOSITION, INFORMATION ON INGREDIENTS

<u>Ingredients</u>	<u>Percent</u>	<u>CAS #</u>
Distillates (petroleum), hydrotreated light	< 95	64742-47-8
Tripropylene glycol methyl ether	1 – 10	25498-49-1
Citrus extracts blend	1 – 10	94266-47-4 / 8028-48-6

*The ingredients in the balance of this product do not contribute significant hazards beyond those described in this document. All pertinent health, safety and environmental information has been presented, per the requirements of the US Federal OSHA Hazard Communication Standard (29CFR 1910.1200).

SECTION 3 – HAZARDS IDENTIFICATION

Potential Health Effects:

Acute Effects:

Eye: Causes eye irritation.

Skin: Contact may cause irritation. Prolonged or repeated contact may cause drying or cracking.

Ingestion: Symptoms may include headache, nausea, drowsiness, pneumonitis, pulmonary edema, central nervous system depression, convulsions and loss of consciousness. **ASPIRATION HAZARD.** Harmful or fatal if aspirated into lungs.

Inhalation: May cause headache, nausea, drowsiness, central nervous system depression, convulsions and loss of consciousness.

Chronic Effects:

Carcinogenicity: No components listed by IARC, NTP, or OSHA as carcinogens.

SECTION 4 - FIRST AID MEASURES

Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen and seek medical attention.

Skin: Immediately flush with mild soap and water for 15 minutes. Seek medical attention if irritation develops. Remove contaminated clothing and launder before reuse.

Eye: Immediately flush with water for 15 minutes. Seek medical attention.

Ingestion: Do not induce vomiting. Get immediate medical care.

MATERIAL SAFETY DATA SHEET

SECTION 5 - FIRE FIGHTING MEASURES

Flash Point: 186 F (86 C)

Autoignition Temperature : > 450 F

Extinguishing Media: Foam, carbon dioxide, and dry chemical.

Special Fire Fighting Procedures: Evacuate personnel to a safe area. Keep containers cool with water spray. Avoid breathing decomposition products. Wear self-contained breathing apparatus and full body protection.

Hazardous Decomposition Products: Thermal decomposition includes oxides of carbon and other asphyxiants.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedure: Evacuate area and turn off all sources of ignition. Ventilate area. Wear appropriate personal protective equipment, including appropriate respiratory protection. Contain spill if possible. Wipe up or absorb on suitable material and shovel up. Prevent entry into sewers and waterways. Avoid contact with skin, eyes or clothing. Dispose of collected material in accordance with federal, state and local requirements.

SECTION 7 – HANDLING AND STORAGE

Store in original container. Keep container tightly closed when not in use and in an upright position. Do not store at elevated temperatures and away from incompatible materials. For industrial use only.

SECTION 8 – EXPOSURE CONTROLS, PERSONAL PROTECTION

Engineering Controls: Not normally required. Insure general dilution ventilation is adequate.

Respiratory protection: Not normally required. Avoid breathing vapor or spray mists.

Eye protection: Use chemical goggles or glasses with side shields.

Skin protection: Use chemical resistant gloves.

Other protective clothing or equipment: Eye wash, Safety Shower, Full Protective Clothing.

Work Hygienic Practices: The usual precaution for the handling of chemicals must be observed.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Yellow liquid
Odor:	Citrus
Specific Gravity (H2O = 1):	0.8
Solubility In Water:	Negligible
Vapor Pressure:	No data available
Vapor Density:	No data available
Boiling Point:	> 430 F
pH:	No applicable
VOC:	2% by CARB Definition for Consumer Products

SECTION 10 – STABILITY AND REACTIVITY

Stability: Stable.

Conditions to Avoid: Sources of ignition.

Incompatible Materials: Avoid contact with oxidizers.

Hazardous Decomposition Products: Thermal decomposition includes oxides of carbon and other asphyxiants.

Hazardous Polymerization: Will not occur.

MATERIAL SAFETY DATA SHEET

SECTION 11 - TOXICOLOGICAL INFORMATION

THIS PRODUCT WAS NOT TESTED. THE FOLLOWING IS COMPONENT DATA:

Distillates (petroleum), hydrotreated light (64742-47-8): Acute Ingestion Toxicity: LD50 > 15000 mg/kg

SECTION 12 – ECOLOGICAL INFORMATION

THIS PRODUCT WAS NOT TESTED. THE FOLLOWING IS COMPONENT DATA:

Distillates (petroleum), hydrotreated light (64742-47-8):

ECOTOXICITY

Material -- Not expected to be harmful to aquatic organisms.

Material -- Not expected to demonstrate chronic toxicity to aquatic organisms.

MOBILITY

Material -- Low solubility and floats and is expected to migrate from water to the land. Expected to partition to sediment and wastewater solids.

PERSISTENCE AND DEGRADABILITY

Biodegradation: Material -- Expected to be readily biodegradable.

Hydrolysis: Material -- Transformation due to hydrolysis not expected to be significant.

Photolysis: Material -- Transformation due to photolysis not expected to be significant.

Atmospheric Oxidation: Material -- Expected to degrade rapidly in air

SECTION 13 – DISPOSAL CONSIDERATIONS

Follow federal, provincial or state and local government requirements for disposal.

SECTION 14 - TRANSPORT INFORMATION

U.S. DOT (Road or Rail):

Not Regulated

AIR / WATER / INTERNATIONAL TRANSPORT:

No data available

SECTION 15 - REGULATORY INFORMATION

SARA 302 Chemicals: None of the ingredients are listed.

SARA 313 Chemicals: None of the ingredients are listed.

Toxic Substances Control Act (TSCA): All the ingredients are listed on the inventory

Canadian Domestic Substance List (DSL): All ingredients are listed.

California Prop. 65 Components: None

OSHA & WHMIS: MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) and Canadian WHMIS regulations (Controlled Products Regulations under the Hazardous Products Act).

SECTION 16 - OTHER INFORMATION

HMIS RATING: HEALTH: 1 FLAMMABILITY: 2 REACTIVITY: 0

THIS PRODUCT IS SOLD TO CONSUMERS FOR HOUSEHOLD USE IN CONTAINERS OF RELATIVELY SMALL VOLUME (I.E. 5 GALLON OR LESS IN SIZE). THIS MSDS HAS BEEN DEVELOPED TO ADDRESS SAFETY

MATERIAL SAFETY DATA SHEET

CONCERNS AFFECTING THOSE INDIVIDUALS WORKING IN WAREHOUSES AND OTHER PLACES WHERE LARGE NUMBERS OF THESE CONTAINERS ARE STORED, AS WELL AS THOSE AFFECTING POTENTIAL USERS OF THIS PRODUCT IN INDUSTRIAL /OCCUPATIONAL SETTINGS. ALL PERTINENT HEALTH, SAFETY AND ENVIRONMENTAL INFORMATION HAVE BEEN PRESENTED IN THIS DOCUMENT, PER THE REQUIREMENTS OF THE US FEDERAL OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200) AND CANADIAN WHMIS.

DISCLAIMER: THIS INFORMATION IS PROVIDED IN GOOD FAITH BUT WITHOUT EXPRESS OR IMPLIED WARRANTY. BUYER ASSUMES ALL RESPONSIBILITY FOR SAFETY AND USE NOT IN ACCORDANCE WITH LABEL INSTRUCTIONS. JUDGEMENTS AS TO THE SUITABILITY OF INFORMATION HEREIN FOR THE INDIVIDUAL'S OWN USE OR PURPOSES ARE NECESSARILY THE INDIVIDUAL'S OWN RESPONSIBILITY. ALTHOUGH REASONABLE CARE HAS BEEN TAKEN IN THE PREPARATION OF SUCH INFORMATION, AS MANUFACTURER OR DISTRIBUTOR, WE EXTEND NO WARRANTIES, MAKE NO REPRESENTATIONS, AND ASSUME NO RESPONSIBILITY AS TO THE ACCURACY OR SUITABILITY OF SUCH INFORMATION FOR APPLICATION TO THE INDIVIDUAL'S PURPOSES OR THE CONSEQUENCES OF ITS USE.
