



LAWSON Products

Conforms to HazCom 2012/United States

SAFETY DATA SHEET

SECTION 1: IDENTIFICATION

PRODUCT IDENTIFIER(S)/ TRADEMARK(S) USED ON THE LABEL: BLUE GREASE HT

OTHER MEANS OF IDENTIFICATION: Product Code – P35000

MATERIAL USES: Industrial applications: Lubricants

MANUFACTURER: Lawson Products, Inc.
8770 W. Bryn Mawr Ave., Suite 900
Chicago, IL 60631
(P): 1-773-304-5050

EMERGENCY PHONE: 888-426-4851 (24HR)

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

PHYSICAL STATE: Solid. [grease]

COLOR: Blue.

ODOR: Petroleum oil

SIGNAL WORD: CAUTION!

HAZARD STATEMENTS: MAY BE HARMFUL IF SWALLOWED.

PRECAUTIONARY MEASURES: Do not ingest. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

OSHA/HCS STATUS: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

ROUTES OF ENTRY: Dermal contact. Eye contact. Inhalation. Ingestion.

POTENTIAL ACUTE HEALTH EFFECTS

INHALATION: No known significant effects or critical hazards.

INGESTION: May be harmful if swallowed.

SKIN: No known significant effects or critical hazards.

EYES: No known significant effects or critical hazards.

POTENTIAL CHRONIC HEALTH EFFECTS

CHRONIC EFFECTS: Contains material that may cause target organ damage, based on animal data.

CARCINOGENICITY: No known significant effects or critical hazards.

SECTION 2: HAZARDS IDENTIFICATION (CONTINUED)

MUTAGENICITY:	No known significant effects or critical hazards.
TERATOGENICITY:	No known significant effects or critical hazards.
DEVELOPMENTAL EFFECTS:	No known significant effects or critical hazards.
FERTILITY EFFECTS:	No known significant effects or critical hazards.
TARGET ORGANS:	Contains material which may cause damage to the following organs: Upper Respiratory tract Skin Eyes

OVER-EXPOSURE SIGNS/SYMPTOMS

INHALATION:	No specific data.
INGESTION:	No specific data.
SKIN:	No specific data.
EYES:	No specific data.

MEDICAL CONDITIONS AGGRAVATED BY OVER-EXPOSURE: Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.

See toxicological information (Section 11)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

UNITED STATES

NAME	CAS NUMBER	%
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	30 – 50
Mineral Oil	Mixture	15 – 30
Calcium carbonate	471-34-1	10 – 20
Residual Oils (Petroleum,) Solvent-refined	64742-01-4	1 – 5

CANADA

NAME	CAS NUMBER	%
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	30 – 50
Mineral Oil	Mixture	15 – 30
Calcium carbonate	471-34-1	10 – 20
Residual Oils (Petroleum,) Solvent-refined	64742-01-4	1 – 5
	26264-06-2	1 – 5

MEXICO

NAME	CAS NUMBER	UN NUMBER	%	IDLH	CLASSIFICATION			
					H	F	R	SPECIAL
Mineral Oil	Mixture	Not available.	15 – 30	2500 mg/m ³	1	1	0	---
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	Not available.	30 – 50	2500 mg/m ³	1	1	0	---
Residual Oils (Petroleum,) Solvent-refined	64742-01-4	Not available.	1 – 5	2500 mg/m ³	1	1	0	---
Calcium dodecylbenzene sulphonate	26264-06-2	Not available.	1 – 5	---	1	0	0	---

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

SECTION 4: FIRST AID MEASURES

EYE CONTACT:	Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
SKIN CONTACT:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.
INHALATION:	Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
INGESTION:	Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.
PROTECTION OF FIRST-AIDERS:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
NOTES TO PHYSICIAN:	No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABILITY OF THE PRODUCT:	No specific fire or explosion hazard.
EXTINGUISHING MEDIA	
SUITABLE:	Use an extinguishing agent suitable for the surrounding fire.
NOT SUITABLE:	None known.
SPECIAL EXPOSURE HAZARDS:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HAZARDOUS THERMAL DECOMPOSITION PRODUCTS:	Decomposition products may include the following materials: Carbon dioxide Carbon monoxide Sulfur oxides Metal oxide/oxides
SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
ENVIRONMENTAL PRECAUTIONS:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
METHODS FOR CLEANING UP	
SMALL SPILL:	Move containers from spill area. Avoid dust generation. Do not dry sweep. Place spilled material in a designated, labeled waste container. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.

SECTION 6: ACCIDENTAL RELEASE MEASURES (CONTINUED)

LARGE SPILL: Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

SECTION 7: HANDLING AND STORAGE

HANDLING: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

STORAGE: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

UNITED STATES

INGREDIENT	EXPOSURE LIMITS
Distillates (petroleum), solvent-dewaxed heavy paraffinic	<p>ACGIH TLV (United States, 6/2013). TWA: 5 mg/m³ 8 hours. Form: Inhalable fraction</p> <p>NIOSH REL (United States, 10/2013). TWA: 5 mg/m³ 10 hours. Form: Mist STEL: 10 mg/m³ 15 minutes. Form: Mist</p> <p>OSHA PEL (United States, 2/2013). TWA: 5 mg/m³ 8 hours</p>
Mineral Oil	<p>ACGIH TLV (United States, 6/2013). TWA: 5 mg/m³ 8 hours Form: Inhalable fraction</p> <p>NIOSH REL (United States, 10/2013). TWA: 5 mg/m³ 10 hours Form: Mist STEL: 10 mg/m³ 15 minutes. Form: Mist</p> <p>OSHA PEL (United States, 2/2013). TWA: 5 mg/m³ 8 hours</p>
Calcium carbonate	<p>OSHA PEL (United States, 2/2013). TWA: 5 mg/m³ 8 hours Form: Respirable fraction TWA: 15 mg/m³ 8 hours Form: Total dust</p>
Residual oils (Petroleum,) Solvent-refined	<p>ACGIH TLV (United States, 6/2013). TWA: 5 mg/m³ 8 hours Form: Inhalable fraction</p> <p>NIOSH REL (United States, 10/2013). TWA: 5 mg/m³ 10 hours Form: Mist STEL: 10 mg/m³ 15 minutes. Form: Mist</p> <p>OSHA PEL (United States, 2/2013). TWA: 5 mg/m³ 8 hours</p>

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (CONTINUED)

CANADA

OCCUPATIONAL EXPOSURE LIMITS		TWA (8 HOURS)			STEL (15 MINS)			CEILING			NOTATIONS
INGREDIENT	LIST NAME	PPM	mg/m ³	OTHER	PPM	mg/m ³	OTHER	PPM	mg/m ³	OTHER	
Distillates (petroleum), solvent-dewaxed-heavy paraffinic	US ACGIH 6/2013	-	5	-	-	-	-	-	-	-	[a]
	AB 4/2009	-	5	-	-	10	-	-	-	-	[b]
	ON 1/2013	-	5	-	-	10	-	-	-	-	[c]
	QC 12/2012	-	5	-	-	10	-	-	-	-	[c]
Mineral Oil	US ACGIH 6/2013	-	5	-	-	-	-	-	-	-	[a]
	AB 4/2009	-	5	-	-	10	-	-	-	-	[b]
	ON 1/2013	-	5	-	-	10	-	-	-	-	[c]
	QC 12/2012	-	5	-	-	10	-	-	-	-	[c]
Calcium carbonate	AB 4/2009	-	10	-	-	-	-	-	-	-	[3]
		-	10	-	-	-	-	-	-	-	[d]
Residual Oils (Petroleum,) Solvent-refined	US ACGIH 6/2013	-	5	-	-	-	-	-	-	-	[a]
	AB 4/2009	-	5	-	-	10	-	-	-	-	[b]
	ON 1/2013	-	5	-	-	10	-	-	-	-	[c]
	QC 12/2012	-	5	-	-	10	-	-	-	-	[c]

[3] = Skin sensitization

Form: [a] = Inhalable fraction ; [b] = Mist ; [c] = Mist ; [d] = Total dust

MEXICO

OCCUPATIONAL EXPOSURE LIMITS

INGREDIENT	EXPOSURE LIMITS
Distillates (petroleum), solvent-dewaxed heavy paraffinic	NOM-010-STPS (Mexico, 9/2000). LMPE-PPT: 5 mg/m ³ 8 hours. Form: Mist LMPE-CT: 10 mg/m ³ 15 minutes. Form: Mist
Mineral Oil	NOM-010-STPS (Mexico, 9/2000). LMPE-PPT: 5 mg/m ³ 8 hours. Form: Mist LMPE-CT: 10 mg/m ³ 15 minutes. Form: Mist
Residual oils (Petroleum,) Solvent-refined	NOM-010-STPS (Mexico, 9/2000). LMPE-PPT: 5 mg/m ³ 8 hours. Form: Mist LMPE-CT: 10 mg/m ³ 15 minutes. Form: Mist

Consult local authorities for acceptable exposure limits.

RECOMMENDED MONITORING PROCEDURES: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

ENGINEERING MEASURES: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

HYGIENE MEASURES: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

PERSONAL PROTECTION

RESPIRATORY: Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (CONTINUED)

HANDS:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
EYES:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
SKIN:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
ENVIRONMENTAL EXPOSURE CONTROLS:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:	Solid. [grease]
FLASH POINT:	Not available.
AUTO-IGNITION TEMPERATURE:	Not available.
FLAMMABLE LIMITS:	Not available.
COLOR:	Blue.
ODOR:	Petroleum oil
pH:	Not applicable.
BOILING/CONDENSATION POINT:	Not available.
MELTING/FREEZING POINT:	Not available.
DENSITY:	0.96 g/cm ³
VAPOR PRESSURE:	Not available.
VAPOR DENSITY:	Not available.
VOLATILITY:	Not available.
EVAPORATION RATE:	Not available.
VISCOSITY:	Kinematic (40 °C (104 °F)): > 0.21 cm ² /s (> 21 cSt)
DISPERSIBILITY PROPERTIES:	Not available.
<u>SOLUBILITY</u>	Insoluble in the following materials: Cold water
VOC:	0 %
VOC METHOD:	EPA Method 24- Determination of Volatile Matter Content; ASTM D 2369 "Standard Test Method for Volatile Content of Coatings"

SECTION 10: STABILITY AND REACTIVITY

CHEMICAL STABILITY:	The product is stable.
CONDITIONS TO AVOID:	No specific data.
INCOMPATIBLE MATERIALS:	No specific data.
HAZARDOUS DECOMPOSITION PRODUCTS:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
POSSIBILITY OF HAZARDOUS REACTIONS:	Under normal conditions of storage and use, hazardous reactions will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION

UNITED STATES

ACUTE TOXICITY:

PRODUCT/INGREDIENT NAME	RESULT	SPECIES	DOSE	EXPOSURE
Calcium carbonate	LD50 Oral	Rat	6450 mg/kg	---
Mineral oil	LD50 Dermal	Rabbit	> 5000 mg/kg	---
	LD50 Oral	Rat	> 5000 mg/kg	---
Distillates (petroleum), solvent-dewaxed heavy paraffinic	LD50 Dermal	Rabbit	> 5000 mg/kg	---
	LD50 Oral	Rat	> 5000 mg/kg	---

CONCLUSION/SUMMARY: May be harmful if swallowed.

CHRONIC TOXICITY:

CONCLUSION/SUMMARY: Contains material that may cause target organ damage, based on animal data.

IRRITATION/CORROSION:

CONCLUSION/SUMMARY:

SKIN: No known significant effects or critical hazards.

EYES: No known significant effects or critical hazards.

RESPIRATORY: Repeated or prolonged exposure to spray or mist may produce respiratory tract irritation. Pre-existing respiratory disorders may be aggravated by over-exposure to this product.

SENSITIZER:

CONCLUSION/SUMMARY:

SKIN: No specific information is available in our database regarding the skin sensitizing properties of this product. Sensitization not suspected for humans.

RESPIRATORY: Sensitization not suspected for humans.

CARCINOGENICITY: There are no data available on the mixture itself. Carcinogenicity not suspected for humans.

MUTAGENICITY: There are no data available on the mixture itself. Mutagenicity not suspected for humans.

TERATOGENICITY: There are no data available on the mixture itself. Teratogenicity not suspected for humans.

REPRODUCTIVE TOXICITY: There are no data available on the mixture itself. Not considered to be dangerous to humans, according to our database.

CANADA

ACUTE TOXICITY:

PRODUCT/INGREDIENT NAME	RESULT	SPECIES	DOSE	EXPOSURE
Calcium dodecylbenzene sulphonate	LD50 Oral	Rat	1300 mg/kg	---
Distillates (petroleum), solvent-dewaxed heavy paraffinic	LD50 Dermal	Rabbit	> 5000 mg/kg	---
	LD50 Oral	Rat	> 5000 mg/kg	---
Mineral Oil	LD50 Dermal	Rabbit	> 5000 mg/kg	---
	LD50 Oral	Rat	> 5000 mg/kg	---
Calcium carbonate	LD50 Oral	Rat	6450 mg/kg	---

CONCLUSION/SUMMARY: May be harmful if swallowed.

CHRONIC TOXICITY:

CONCLUSION/SUMMARY: Contains material that may cause target organ damage, based on animal data.

IRRITATION/CORROSION:

CONCLUSION/SUMMARY:

SKIN: No known significant effects or critical hazards.

EYES: No known significant effects or critical hazards.

RESPIRATORY: Repeated or prolonged exposure to spray or mist may produce respiratory tract irritation. Pre-existing respiratory disorders may be aggravated by over-exposure to this product.

SECTION 11: TOXICOLOGICAL INFORMATION (CONTINUED)

SENSITIZER:

CONCLUSION/SUMMARY:

SKIN: No specific information is available in our database regarding the skin sensitizing properties of this product. Sensitization not suspected for humans.

RESPIRATORY: Sensitization not suspected for humans.

CARCINOGENICITY: There are no data available on the mixture itself. Carcinogenicity not suspected for humans.

MUTAGENICITY: There are no data available on the mixture itself. Mutagenicity not suspected for humans.

TERATOGENICITY: There are no data available on the mixture itself. Teratogenicity not suspected for humans.

REPRODUCTIVE TOXICITY: There are no data available on the mixture itself. Not considered to be dangerous to humans, according to our database.

MEXICO

ACUTE TOXICITY:

PRODUCT/INGREDIENT NAME	RESULT	SPECIES	DOSE	EXPOSURE
Mineral Oil	LD50 Dermal	Rabbit	> 5000 mg/kg	---
	LD50 Oral	Rat	> 5000 mg/kg	---
Distillates (petroleum), solvent-dewaxed heavy paraffinic	LD50 Dermal	Rabbit	> 5000 mg/kg	---
	LD50 Oral	Rat	> 5000 mg/kg	---
Calcium dodecylbenzene sulphonate	LD50 Oral	Rat	1300 mg/kg	---

CONCLUSION/SUMMARY: May be harmful if swallowed.

CHRONIC TOXICITY:

CONCLUSION/SUMMARY: Contains material that may cause target organ damage, based on animal data.

IRRITATION/CORROSION:

CONCLUSION/SUMMARY:

SKIN: No known significant effects or critical hazards.

EYES: No known significant effects or critical hazards.

RESPIRATORY: Repeated or prolonged exposure to spray or mist may produce respiratory tract irritation. Pre-existing respiratory disorders may be aggravated by over-exposure to this product.

SENSITIZER:

CONCLUSION/SUMMARY:

SKIN: No specific information is available in our database regarding the skin sensitizing properties of this product. Sensitization not suspected for humans.

RESPIRATORY: Sensitization not suspected for humans.

CARCINOGENICITY: There are no data available on the mixture itself. Carcinogenicity not suspected for humans.

MUTAGENICITY: There are no data available on the mixture itself. Mutagenicity not suspected for humans.

TERATOGENICITY: There are no data available on the mixture itself. Teratogenicity not suspected for humans.

REPRODUCTIVE TOXICITY: There are no data available on the mixture itself. Not considered to be dangerous to humans, according to our database.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY: Not readily biodegradable.

UNITED STATES

ACUATIC ECOTOXICITY:

PRODUCT/INGREDIENT NAME	RESULT	SPECIES	EXPOSURE
Calcium carbonate	Acute LC50 56000 ppm Fresh water	Fish - Gambusia affinis – Adult	96 hours
	Chronic NOEC 61 mg/g Fresh water	Fish - Oncorhynchus mykiss – Juvenile (Fledgling, Hatchling, Weanling)	28 days

CONCLUSION/SUMMARY: No known significant effects or critical hazards.

PERSISTENCE/DEGRADABILITY: Not readily biodegradable. This product is not expected to bioaccumulate through food chains in the environment.

SECTION 12: ECOLOGICAL INFORMATION (CONTINUED)

CANADA

ACUATIC ECOTOXICITY:

PRODUCT/INGREDIENT NAME	RESULT	SPECIES	EXPOSURE
Calcium carbonate	Acute LC50 56000 ppm Fresh water Chronic NOEC 61 mg/g Fresh water	Fish - Gambusia affinis – Adult Fish - Oncorhynchus mykiss – Juvenile (Fledgling, Hatchling, Weanling)	96 hours 28 days

CONCLUSION/SUMMARY: No known significant effects or critical hazards.

PERSISTENCE/DEGRADABILITY: Not readily biodegradable. This product is not expected to bioaccumulate through food chains in the environment.

MEXICO

ACUATIC ECOTOXICITY:

CONCLUSION/SUMMARY: No known significant effects or critical hazards.

PERSISTENCE/DEGRADABILITY: Not readily biodegradable. This product is not expected to bioaccumulate through food chains in the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

SECTION 14: TRANSPORT INFORMATION

	DOT CLASSIFICATION	TDG CLASSIFICATION	MEXICO CLASSIFICATION	ADR/RID	IMDG	IATA-DGR CLASS
UN NUMBER:	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
PROPER SHIPPING NAME:	---	---	---	---	---	---
CLASSES:	---	---	---	---	---	---
PG*:	---	---	---	---	---	---
LABEL:	---	---	---	---	---	---
ADDITIONAL INFORMATION:	---	---	---	---	---	---

PG* = Packing Group

SECTION 15: REGULATORY INFORMATION

UNITED STATES

HCS CLASSIFICATION:	Target organ effects.	
U.S. FEDERAL REGULATIONS:	TSCA 8(a) PAIR:	Naphthalene
	TSCA 8(a) CDR Exempt/Partial exemption):	Not determined.
	United States Inventory (TSCA 8b):	All components are listed or exempted.
	SARA 302/304:	No products were found.
	SARA 311/312 Hazards Identification:	Delayed (chronic) health hazard.
	Clean Water Act (CWA) 307:	Naphthalene
	Clean water Act (CWA) 311:	calcium dodecylbenzene sulphonate; naphthalene

CLEAN AIR ACT SECTION 112(b) Not listed.

HAZARDOUS AIR POLLUTANTS (HAPs):

CLEAN AIR ACT SECTION 602 CLASS I SUBSTANCES: Not listed.

CLEAN AIR ACT SECTION 602 CLASS II SUBSTANCES: Not listed.

DEA LIST I CHEMICALS (PRECURSOR CHEMICALS): Not listed.

DEA LIST II CHEMICALS (ESSENTIAL CHEMICALS): Not listed.

SARA 313

	PRODUCT NAME:	CAS NUMBER:	%
FORM R – REPORTING REQUIREMENTS:	No listed substance.	---	---
SUPPLIER NOTIFICATION:	No listed substance.	---	---

SARA 313 notifications must not be detached from the SDS; and, any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

STATE REGULATIONS

CONNECTICUT CARCINOGEN REPORTING:	None of the components are listed.
CONNECTICUT HAZARDOUS MATERIAL SURVEY:	None of the components are listed.
FLORIDA SUBSTANCES:	None of the components are listed.
ILLINOIS CHEMICAL SAFETY ACT:	None of the components are listed.
ILLINOIS TOXIC SUBSTANCES DISCLOSURE TO EMPLOYEE ACT:	None of the components are listed.
LOUISIANA REPORTING:	None of the components are listed.
LOUISIANA SPILL:	None of the components are listed.
MASSACHUSETTS SPILL:	None of the components are listed.
MASSACHUSETTS SUBSTANCES:	The following components are listed: Calcium dodecylbenzene sulfonate
MICHIGAN CRITICAL MATERIAL:	None of the components are listed.
MINNESOTA HAZARDOUS SUBSTANCES:	None of the components are listed.
NEW JERSEY SPILL:	None of the components are listed.
NEW JERSEY TOXIC CATASTROPHE PREVENTION ACT:	None of the components are listed.
NEW JERSEY HAZARDOUS SUBSTANCES:	The following components are listed: Calcium dodecylbenzene sulfonate Benzenesulfonic acid Dodecyl-, calcium salt
NEW YORK ACUTELY HAZARDOUS SUBSTANCES:	The following components are listed: Calcium dodecylbenzene sulfonate

SECTION 15: REGULATORY INFORMATION (CONTINUED)

NEW YORK TOXIC CHEMICAL RELEASE REPORTING: None of the components are listed.
PENNSYLVANIA RTK HAZARDOUS SUBSTANCES: The following components are listed:
 Benzenesulfonic acid
 Dodecyl-, calcium salt

RHODE ISLAND HAZARDOUS SUBSTANCES: None of the components are listed.
CALIFORNIA PROP. 65 **WARNING:** This product contains less than 0.1% of a chemical known to the State of California to cause cancer

INGREDIENT NAME	CANCER	REPRODUCTIVE	NO SIGNIFICANT RISK LEVEL	MAXIMUM ACCEPTABLE DOSAGE LEVEL
Naphthalene	Yes.	No.	Yes.	No.

UNITED STATES INVENTORY (TSCA 8b): All components are listed or exempted.

CANADA

WHMIS (CANADA): Class D-2B: Material causing other toxic effects (Toxic).

CANADIAN LISTS

CANADIAN NPRI: None of the components are listed.


CEPA TOXIC SUBSTANCES: None of the components are listed.

CANADA INVENTORY (DSL/NDSL): All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

MEXICO

CLASSIFICATION:



INTERNATIONAL REGULATIONS

INTERNATIONAL LISTS:

Australia inventory (AICS): All components listed or exempted.
China inventory (IECSC): All components are listed or exempted.
Japan: Not determined.
Korea Inventory: All components are listed or exempted.
Malaysia Inventory (EHS Register): Not determined.
New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.
Philippines Inventory (PICCS): Not determined.
Taiwan Inventory (CSNN): Not determined.
Europe Inventory: All components are listed or exempted.

CHEMICAL WEAPONS CONVENTION LIST SCHEDULE I CHEMICALS: Not listed.

CHEMICAL WEAPONS CONVENTION LIST SCHEDULE II CHEMICALS: Not listed.

CHEMICAL WEAPONS CONVENTION LIST SCHEDULE III CHEMICALS: Not listed.

SECTION 16: OTHER INFORMATION

LABEL REQUIREMENTS: May be harmful if swallowed.

HAZARDOUS MATERIAL INFORMATION SYSTEM (U.S.A.)

Health: * 1

Flammability: 1


Physical Hazards: 0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA).

The customer is responsible for determining the PPE code for this material.

SECTION 16: OTHER INFORMATION (CONTINUED)

NATIONAL FIRE PROTECTION ASSOCIATION (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

HISTORY

DATE ISSUE (MM/DD/YYYY): 9/22/2014

DATE OF PREVIOUS ISSUE: 9/22/2014

VERSION: 1.01

KEY TO ABBREVIATIONS:

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

NOTICE TO THE READER:

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.