

MYERS PENETRATING OIL # 2

Myers Order Nos. 89015, 89016, 89017

MYERS TIRE SLIP

N/A=Not Available

MATERIAL SAFETY DATA SHEET

(Prepared According To 29 CFR 1910.1200)

Effective Date : 10/11

SECTION 1-PRODUCT IDENTIFICATION

NOTE: DO NOT COPY THIS SHEET WITH OUT COPYING AND ATTACHING REVERSE SIDE AS THE INFORMATION IN SECTION 1 IS REQUIRED BY LAW.

SEE REVERSE SIDE OF THIS MATERIAL SAFETY DATA SHEET FOR A SPECIFICATION SHEET WHICH CONTAINS THE INFORMATION REQUIRED IN THIS SECTION - DISTRIBUTOR NAME, ADDRESS, EMERGENCY PHONE NUMBER AND PRODUCT NAME.

HMS Hazardous Materials Identification System

Health	1
Flammability	2
Reactivity	0
Maximum Personal Protection	B

SECTION 2-INGREDIENTS

CHEMICAL NAME	CAS NO.	WT. %	PEL	TWA-TLV	STEL-TLV	CARCINOGEN
Aliphatic Hydrocarbon	64742-88-7	45 to 55	500 ppm	100 ppm	N/A	No
Aromatic Hydrocarbons	64742-95-6	45 to 55	500 ppm	50 ppm	N/A	No

This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372

EMERGENCY TELEPHONE NUMBERS: (24 Hours)
CHEMTREC (800) 424-9300

CAS #	Chemical Name	Percent by Weight
NONE		

SECTION 3-PHYSICAL DATA

Boiling Range (F.): 306 F. Initial
 Vapor Pressure: <7.5mm Hg @68F.
 % Volatile: 100
 Solubility in Water: Nil
 Physical Description: Thin clear liquid with characteristic odor.

Specific Gravity: .825
 Vapor Density: Air=1: 4.4
 pH: N/A
 Evaporation Rate: Water=1:>1

SECTION 4-FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): 108° F. (TCC)
 Upper Exposure Limit: 7.0 Lower Exposure Limit: 0.6
 Extinguishing Media: Foam, CO2, dry chemical
 Special Firefighting Procedures: Do not use water.
 Unusual Fire and Explosion Hazards: Drums heated by fire can explode.

SECTION 5-REACTIVITY DATA

Stability: Stable
 Incompatibility (Materials to Avoid): Strong oxidizers.
 Hazardous Decomposition Products: Carbon monoxide possible if burned.

Hazardous Polymerization: None

SECTION 6-STORAGE AND HANDLING INFORMATION

Avoid contact with eyes, skin, and clothing. Use in well ventilated area.
 Keep out of reach of children. For use by trained personnel only.
 Keep container closed during storage. For Institutional and Industrial use only.
 Combustible Liquid-Store away from heat, spark, or open flame.

SECTION 7-HEALTH HAZARDS AND FIRST AID

Effects of Overexposure:
Primary Route of Entry:

Skin: Prolonged or repeated contact may cause irritation, defatting, or dermatitis.
 Eyes: Eye irritant. May cause redness, swelling, or blurred vision.
 Inhalation: May be irritating to the nose, throat, and lungs. Large amounts can cause headache, nausea, dizziness, weakness, and fatigue.
 Ingestion: Can cause irritation of the gastrointestinal tract, nausea, vomiting, and diarrhea. Aspiration of material into the lungs can cause pneumonia.

First Aid Procedures:

Skin: Remove contaminated clothing. Wash with soap and water. Seek medical attention if irritation persists.
 Eyes: Flush with large quantities of water, holding eyelids open. Seek medical attention.
 Inhalation: Get to fresh air. If breathing is difficult, give oxygen. Seek medical attention if symptoms persist.
 Ingestion: Do not induce vomiting. Seek medical attention immediately.

SECTION 8-SPECIAL PROTECTION INFORMATION

Respiratory Protection: Use NIOSH approved as required to prevent over exposure.

Ventilation: Provide local exhaust to keep TLV of Section 2 Ingredients below acceptable limit.

Protective Gloves: Solvent proof recommended. (Neoprene or Viton)

Eye Protection: Safety glasses, goggles, or face shield.

Other Protective Equipment: Impervious apron & boots where splashing occurs. Eye wash station nearby.

SECTION 9-SPILL OR LEAK PROCEDURES

Steps to be Taken in Case Material is Released or Spilled:
 Combustible: Eliminate all ignition sources.
 Mop up or otherwise absorb and hold for disposal.
 Evacuate unprotected personnel.

Waste Disposal Method:

Any method in accordance with applicable laws.

SECTION 10-TRANSPORT INFORMATION

GOVERNING BODY	MODE	PROPER SHIPPING NAME
DOT	GROUND	Petroleum Distillates N.O.S.
GOVERNING BODY	MODE	HAZARD CLASS UN/NA No.
DOT	GROUND	NON-REG 1268

packaged

This company cannot anticipate all conditions of handling and use of this product. Therefore, this company accepts no responsibility for results obtained by the application of this information, or the safety and suitability of our products either alone or in combination with other products. It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. This company will accept no liability for damages or loss incurred from the improper handling and use of this product.